



GOMANDER

G
FALCON 5,56
S/N 0454725
GOMANDER

WHERE PRECISION
ROARS
AND THE SHOT
WHISPERS

PRODUCT CATALOGUE

GOAL

With respect and admiration, we support and deepen the passion of all shooters, enhancing their comfort, ensuring their safety, and protecting their invaluable health.

The world of shooting is a journey marked by dedication and sacrifice—qualities that command genuine respect. At Gomander, we are committed to ensuring that this passion is pursued with the exceptional comfort and enjoyment. By eliminating the distractions of noise, muzzle flash, recoil or backflow of gases, our products distill the experience down to its purest essence: the unfiltered thrill and satisfaction of the sport.



DIRECT THREAD (DT) OVER BARREL (OB)



DIRECT THREAD:

- Mounted directly on the muzzle thread
- Direct contact with the threaded part of the barrel
- Adds certain length to the front of the firearm



OVER BARREL:

- Mounted beyond the end of the barrel
- The barrel partially enters the suppressor
- Minimizes the overall length of the firearm without adding significant length to the front of the barrel



OR CHOOSE YOUR SOLUTION

3 SILENCER MOUNTING SYSTEMS (QD)



Tactinox 5,56 QD-LOCK

QD-LOCK SYSTEM

Save time. Simply: screw on, lock – and you're done. The suppressor stays securely in place, even during continuous fire.



Quadron Evo, Raptor or Pentrax QD-LOCK

The QD LOCK suppressor works with various types of firearms – regardless of thread type.

To mount it, you need one of our dedicated muzzle devices:
Quadron Evo – Flash hider
Raptor – Muzzle brake



Raven A2 5,56 QD-CLICK

QD-CLICK SYSTEM

The A2-compatible mounting system with RBS (Reduced Backpressure System) technology consists of 1 component.

You don't need a dedicated device for the A2 mount.



Pentrax A2 or Raptor A2

A2 COMPATIBLE SUPPRESSOR



Falcon A2 5,56 QD-MAX

QD-MAX SYSTEM

The A2-compatible mounting system with RBS technology consists of 2 components.

You don't need a dedicated device for the A2 mount.



Pentrax A2 or Raptor A2

A2 COMPATIBLE SUPPRESSOR



SPORT SHOOTING

Precision meets silence. Gomander premium sports suppressors minimize distractions, letting you focus entirely on peak performance.

Gain the competitive edge 

Train harder, compete smarter, win more.

CROW A2 QD-MAX

NEW
5,56 / 7,62

New Crow with the A2 suppressor mount, featuring the QD-MAX system with RBS (Reduced Backpressure System) technology. Suppressors designed for ergonomics, user comfort, and reliable performance in any conditions.


CALIBER

5,56mm/.22"
(.222rem,
.223rem,
.22-250rem...)

7,62mm/.30"
(.308win,
.30-06, .270win,
7x64, 6,5...)


LENGTH

5,56L-177mm

5,56XL-189mm

7,62L-177mm

7,62XL-190mm


DIAMETER

44 mm

44 mm


MATERIALS

AISI 309
/ 1.48 28

Stainless steel

AISI 309
/ 1.48 28

Stainless steel


FINISH

Ceramic
coating
Ceracote

Ceramic
coating
Ceracote

AVAILABLE COLORS


Black



Flat Dark Earth



Sniper Grey

**COMPATIBILITY
WITH GOMANDER
MUZZLE BRAKE/
FLASH HIDER***

A2 compatible suppressor **

Flash hider Pentrax A2 5,56 / 7,62

Muzzle Brake Raptor A2 5,56 / 7,62

** The use of the Gomander Pentrax A2 / Raptor A2 muzzle device recommended - available in wide range of thread types * Due to A2 devices tolerance discrepancies, we recommend using Gomander muzzle devices.

GLASS BREAKER
**RBS (REDUCED
BACKPRESSURE
SYSTEM)**
**A2
COMPATIBLE
SUPPRESSOR**


TITAN X QD-LOCK

5,56 / 7,62

Easy and effective glass breaking without the need for additional tools.

Minimizes the impact of additional equipment on ergonomics and operational effectiveness in combat.

Applies to Titan X QD-LOCK 5.56

Weight (without muzzle brake):
app. 280g



CALIBER

5,56mm/.22"
(.222rem,
.223rem,
.22-250rem...)

7,62mm/.30"
(.308win,
.30-06, .270win,
7x64, 6,5...)



LENGTH

167 mm

167 mm



DIAMETER

42 mm

42 mm



MATERIALS

tytan
grade 6

tytan
grade 5



FINISH

Ceramic
coating
Cerakote

Ceramic
coating
Cerakote

AVAILABLE COLORS



Black



Flat Dark Earth



Sniper Grey

COMPATIBILITY WITH GOMANDER MUZZLE BRAKE/FLASH HIDER*

Muzzle Brake Raptor 5,56 / 7,62

Flash Hider Quadron 5,56 / 7,62

* Requires the use of the Gomander Quadron/Raptor muzzle device - available in wide range of thread types

GLASS BREAKER

TITANIUM

LIGHTWEIGHT





TACTINOX 5,56

DT / OB

The Tactinox product line is designed for those who accept no compromises on the range. Engineered for unwavering accuracy and reliability, it ensures a stable point of impact with zero risk of failure—all while minimizing maintenance time. Because your focus should be on what truly matters: your performance.



CALIBER

5,56mm/.22"
(.222rem,
.223rem,
.22-250rem...)



LENGTH

167 mm



DIAMETER

42 mm



MATERIALS

AISI 314 and
AISI 304
Stainless steel



FINISH

Ceramic
coating
Cerakote

AVAILABLE COLORS



Black



Flat Dark Earth



Sniper Grey

TACTINOX 5,56 DT

**STANDARD
THREADS**

1/2-28,
M24x1.5_AK

**OPTIONAL
METRIC THREADS**

M13x1, M14x1, M14x1
LH, M15x1, M16x1,
M17x1, M18x1

**OPTIONAL
INCH THREADS**

5/8-24 UNEF,
1/2-20 UNEF

TACTINOX 5,56 OB

**STANDARD
THREADS**

1/2-28 UNEF,
5/8-24 UNEF

**OPTIONAL
METRIC THREADS**

M15x1



TACTINOX QD-LOCK

5,56L / 7,62L / 7,62XL / 9L PCC



CALIBER

5,56mm/.22"
(.222rem,
.223rem,
.22-250rem...)

7,62mm/.30"
(.308win,
.30-06, .270win,
7x64, 6,5...)

9mm/.35"
(PCC 9mm...)



LENGTH

167 mm

167 mm (L)
200 mm(XL)

167 mm



DIAMETER

42 mm

42 mm

42 mm



MATERIALS

AISI 314 and
AISI 304
Stainless steel

AISI 314 and
AISI 304
Stainless steel

AISI 314 and
AISI 304
Stainless steel



FINISH

Ceramic
coating
Cerakote

Ceramic
coating
Cerakote

Ceramic
coating
Cerakote

AVAILABLE COLORS



Black



Flat Dark Earth



Sniper Grey

COMPATIBILITY WITH GOMANDER MUZZLE BRAKE/ FLASH HIDER*

Muzzle Brake Raptor 5,56 / 7,62 / 9,0

Flash Hider Quadron 5,56 / 7,62 / 9,0

* Requires the use of the Gomander Quadron/Raptor muzzle device - available in wide range of thread types





TACTINOX 7,62

DT / OB



CALIBER

7,62mm/.30"
(.308win,
.30-06, .270win,
7x64, 6,5...)



LENGTH

167 mm



DIAMETER

42 mm



MATERIALS

AISI 314 and
AISI 304
Stainless steel



FINISH

Ceramic
coating
Cerakote

AVAILABLE COLORS



Black



Flat Dark Earth



Sniper Grey

TACTINOX 7,62 DT

STANDARD THREADS

5/8-24 UNEF,
M14x1 LH, M15x1

OPTIONAL METRIC THREADS

M13x1, M14x1, M16x1,
M17x1, M18x1, M18x1.5,
M24x1.5

OPTIONAL INCH THREADS

1/2-28, 5/8-18,
3/4-24 LH, 3/4-24,
9/16-24 UNEF

TACTINOX 7,62 OB

STANDARD THREADS

5/8-24 UNEF,
M15x1



Tactinox 7,62 OB
S/N 153025
M15x1
GOMANDER
FOR CIVILIAN USE ONLY



GOMANDER

TACTINOX 9 PCC DT
Max 9mm M18x1
S/N 0853427 Made in Poland
FOR CIVILIAN USE ONLY



TACTINOX 9S/9L PCC

DT



CALIBER

9mm/.35"
(PCC 9mm...)



LENGTH

100 mm (9S)
158 mm (9L)



DIAMETER

42 mm



MATERIALS

AISI 314 and
AISI 304
Stainless steel



FINISH

Ceramic
coating
Cerakote

AVAILABLE COLORS



Black



Flat Dark Earth



Sniper Grey

TACTINOX 9S PCC DT
TACTINOX 9L PCC DT

STANDARD THREADS

1/2-28 UNEF,
M18x1

OPTIONAL METRIC THREADS

M13x1, M13x1.5 LH,
M14x1, M15x1, M16x1.5





MILITARY & LAW ENFORCEMENT

It all started with military-grade products development. And what about Gomander military suppressors? Another product - same story.

**Zero failures, stable performance,
and total control over your weapon**

Here compromise is never an option.

FALCON A2 QD-MAX

NEW

5,56 / 7,62

New Falcon with the A2 suppressor mount, featuring the QD-MAX system with RBS (Reduced Backpressure System) technology. Suppressors designed for ergonomics, user comfort, and reliable performance in any conditions.



CALIBER

5,56mm/.22"
(.222rem,
.223rem,
.22-250rem...)


7,62mm/.30"
(.308win,
.30-06, .270win,
7x64, 6,5...)



LENGTH

5,56L-177 mm
5,56XL-189 mm

7,62L-177 mm
7,62XL-190 mm



DIAMETER

44 mm

44 mm



MATERIALS

AISI 309 /
1.48 28
Stainless steel

AISI 309 /
1.48 28
Stainless steel



FINISH

Bead-blasted,
matte texture

Bead-blasted,
matte texture

**COMPATIBILITY
WITH GOMANDER
MUZZLE BRAKE/
FLASH HIDER***

A2 compatible suppressor **

Flash hider Pentrax A2 5,56 / 7,62

Muzzle Brake Raptor A2 5,56 / 7,62

** The use of the Gomander Pentrax A2 / Raptor A2 muzzle device recommended - available in wide range of thread types * Due to A2 devices tolerance discrepancies, we recommend using Gomander muzzle devices.

GLASS BREAKER

**RBS (REDUCED
BACKPRESSURE
SYSTEM)**

**A2
COMPATIBLE
SUPPRESSOR**

Weight:
5,56 L-550 g
5,56 XL-595 g
7,62 L-530 g
7,62 XL-560 g



RAVEN A2 QD-CLICK

5,56 / 7,62



CALIBER

5,56mm/.22"
(.222rem,
.223rem,
.22-250rem...)

7,62mm/.30"
(.308win,
.30-06, .270win,
7x64, 6,5...)



LENGTH

L - 167 mm
XL - 198 mm

L - 167 mm
XL - 198 mm



DIAMETER

41.5 mm

41.5 mm



MATERIALS

AISI 309 /
1.48 28
Stainless steel

AISI 309 /
1.48 28
Stainless steel



FINISH

Bead-blasted,
matte texture

Bead-blasted,
matte texture

**COMPATIBILITY
WITH GOMANDER
MUZZLE BRAKE/
FLASH HIDER***

A2 compatible suppressor **

Flash hider Pentrax A2 5,56 /7,62

Muzzle Brake Raptor A2 5,56 / 7,62

** The use of the Gomander Pentrax A2 / Raptor A2 muzzle device recommended - available in wide range of thread types * Due to A2 devices tolerance discrepancies, we recommend using Gomander muzzle devices.



ENFORCER QD-LOCK

5,56 / 7,62



CALIBER

5,56mm/.22"
(.222rem,
.223rem,
.22-250rem...)

7,62mm/.30"
(.308win,
.30-06, .270win,
7x64, 6,5...)



LENGTH

167 mm

167 mm



DIAMETER

41.5 mm

41.5 mm



MATERIALS

AISI 309 /
1.48 28
Stainless steel

AISI 309 /
1.48 28
Stainless steel



FINISH

Ceramic
coating
Cerakote

Ceramic
coating
Cerakote

**COMPATIBILITY
WITH GOMANDER
MUZZLE BRAKE/
FLASH HIDER***

Muzzle Brake Raptor 5,56 / 7,62

Flash Hider Quadron 5,56 / 7,62

* Requires the use of the Gomander Quadron/Raptor muzzle device - available in wide range of thread types

**STANDARD
THREADS**

M26x1.5

**ENFORCER 5,56 QD-LOCK
ENFORCER 7,62 QD-LOCK**





> ACCESSORIES

PENTRAX A2

QD-MAX / QD-CLICK



CALIBER

5,56mm/.22"
(.222rem, .223rem,
.22-250rem...)

7,62mm/.30"
(.308win,
.30-06, .270win,
7x64, 6,5...)

9mm/.35"
(PCC 9mm...)

**THREAD DIAMETER
FOR SUPPRESSOR
MOUNTING**

26 mm,
(M26x1.5)

**SUPPRESSOR MODEL
COMPATIBILITY**

GOMANDER
QD-MAX
QD-CLICK



* Available in wide range of thread types

PENTRAX

QD-LOCK



CALIBER

5,56mm/.22"
(.222rem, .223rem,
.22-250rem...)

7,62mm/.30"
(.308win,
.30-06, .270win,
7x64, 6,5...)

9mm/.35"
(PCC 9mm...)

**THREAD DIAMETER
FOR SUPPRESSOR
MOUNTING**

26 mm,
(M26x1.5)

**SUPPRESSOR MODEL
COMPATIBILITY**

GOMANDER
QD-LOCK



* Available in wide range of thread types

QUADRON EVO

QD-LOCK



CALIBER

5,56mm/.22"
(.222rem, .223rem,
.22-250rem...)

7,62mm/.30"
(.308win,
.30-06, .270win,
7x64, 6,5...)

9mm/.35"
(PCC 9mm...)

THREAD DIAMETER FOR SUPPRESSOR MOUNTING

26 mm,
(M26x1.5)

SUPPRESSOR MODEL COMPATIBILITY

GOMANDER
QD-LOCK



* Available in wide range of thread types

RAPTOR

QD-LOCK



CALIBER

5,56mm/.22"
(.222rem, .223rem,
.22-250rem...)

7,62mm/.30"
(.308win,
.30-06, .270win,
7x64, 6,5...)

9mm/.35"
(PCC 9mm...)

THREAD DIAMETER FOR SUPPRESSOR MOUNTING

26 mm,
(M26x1.5)

SUPPRESSOR MODEL COMPATIBILITY

GOMANDER
QD-LOCK



* Available in wide range of thread types

RAPTOR A2

QD-MAX / QD-CLICK



CALIBER

5,56mm/.22"
(.222rem, .223rem,
.22-250rem...)

7,62mm/.30"
(.308win,
.30-06, .270win,
7x64, 6,5...)

9mm/.35"
(PCC...)

THREAD DIAMETER FOR SUPPRESSOR MOUNTING

26 mm,
(M26x1.5)

SUPPRESSOR MODEL COMPATIBILITY

GOMANDER
QD-MAX
QD-CLICK



Raptor A2 5.56



Raptor A2 7.62

* Available in wide range of thread types



HUNTING

Silence in the field is the foundation of ethical and effective hunting. Every seasoned hunter knows that a successful hunt begins long before the shot is fired.

Gomander hunting suppressors

Designed by hunters, for hunters.

HUNTER 6,5

DT / OB

Rain, frost, or scorching heat—no matter the conditions, the Gomander suppressor from the Hunter and Big Bore hunting series is built to keep you in the game. Get closer to your prey, protect your hearing, and sharpen your shot. With its rugged, lightweight aluminum design, it won't slow you down—just pure focus on what matters most: the hunt.



CALIBER

5,56mm/.22"
(.222rem,
.223rem,
.22-250rem...)

6,5mm/.243"
(.243win,
6,5mm)



LENGTH

200 mm

200 mm



DIAMETER

42 mm

42 mm



MATERIALS

High quality
aluminum
and titanium

High quality
aluminum
and titanium



FINISH

Ceramic
coating
Cerakote

Ceramic
coating
Cerakote

AVAILABLE COLORS



Black



Flat Dark Earth



Sniper Grey

**STANDARD
THREADS**

M13x1, M14x1,
M15x1

**OPTIONAL
METRIC THREADS**

M17x1, M18x1

**OPTIONAL
INCH THREADS**

1/2-28, 5/8-18,
5/8-24, 3/4-24,
9/16-24 UNEF

HUNTER 6,5 DT

**STANDARD
THREADS**

M13x1, M14x1,
M15x1

HUNTER 6,5 OB



HUNTER 8,0

DT / OB



CALIBER

8,0mm/.300"
(.270win, 7x64,
.308win,
30-06, 8x57)



LENGTH

210 mm



DIAMETER

52 mm



MATERIALS

High quality
aluminum
and titanium



FINISH

Ceramic
coating
Cerakote

AVAILABLE COLORS



Black



Flat Dark Earth



Sniper Grey

HUNTER 8,0 DT

STANDARD
THREADS

M13x1, M14x1,
M15x1

OPTIONAL
METRIC THREADS

M14x1 LH, M17x1,
M18x1, M24x1.5

OPTIONAL
INCH THREADS

1/2-28, 5/8-18,
5/8-24, 3/4-24,
9/16-24 UNEF

HUNTER 8,0 OB

STANDARD
THREADS

M13x1, M14x1,
M15x1



Hunter 8,0 DT
S/N 111025
M13x1
GOMANDER
FOR CIVILIAN USE ONLY

BIG BORE 9,6

OB



CALIBER

9,6mm/.375"
(.300win.mag,
.338, 8x57,
8x68, 9.3x62,
.375h&h mag...)



LENGTH

280 mm



DIAMETER

62 mm



MATERIALS

High quality
aluminum
and titanium



FINISH

Ceramic
coating
Cerakote

AVAILABLE COLORS



Black



Flat Dark Earth



Sniper Grey

BIG BORE 9,6 OB

**STANDARD
THREADS**

M15x1,
5/8-24 UNEF

**OPTIONAL
METRIC THREADS**

M14x1, M17x1, M18x1

**OPTIONAL
INCH THREADS**

1/2-28, 5/8-18,
3/4-24, 9/16-24
UNEF, 7/8-24 UNS





The **Gomander** brand is built on 50 years of experience in the technology and engineering sectors, as well as nearly 20 years of experience in the defense industry. This combination of engineering precision and a deep understanding of shooters' needs has enabled us to create products highly regarded by the shooting community.

Consulting professionals and testing products in institutions such as the **Military Institute of Armament Technology** are key to ensuring a level of quality that guarantees product safety.

A red, distressed stamp with the word 'APPROVED' in bold, uppercase letters, set within a red rectangular border. The background of the stamp is dark and textured.

APPROVED







scan me

www.gomander.com

